ADVANCED LABORATORIES®
8969 Cleveland Road, Clayton, NC 27520
Phone: 919-989-7793 Fax: 919-989-9226
Email: nclab@advancedlabsinc.com
FDA Registration #10560615298

BAJA GOLD™ SALT CO.
Property of SeaAgri Solutions, LLC
Owners of Baja Gold Salt Co.

Test Certificate

Client: SeaAgri Solutions, LLC
PO Box 682075
Marietta, GA 30068

Sample Description: Baja Gold Sea Salt

Lab No: 107550-01

Analysis	Result	Per Unit	Method
‡Aluminum	34.1	ppm	ICP-OES USP <730>
‡Antimony	<0.001	ppm	ICP-MS USP <730>
‡Arsenic	0.030	ppm	ICP-MS USP <730>
‡Barium	0.703	ppm	ICP-MS USP <730>
‡Beryllium	0.002	ppm	ICP-MS USP <730>
‡Bismuth	0.031	ppm	ICP-MS USP <730>
‡Boron	47.3	ppm	ICP-OES USP <730>
‡Cadmium	0.007	ppm	ICP-MS USP <730>
‡Calcium	3,567	ppm	ICP-OES USP <730>
‡Cerium	0.041	ppm	ICP-MS USP <730>
‡Cesium	0.008	ppm	ICP-MS USP <730>
‡Chromium	2.997	ppm	ICP-MS USP <730>
‡Cobalt	0.101	ppm	ICP-MS USP <730>
‡Copper	4.447	ppm	ICP-MS USP <730>
‡Dysprosium	0.002	ppm	ICP-MS USP <730>
‡Erbium	0.001	ppm	ICP-MS USP <730>
‡Europium	0.001	ppm	ICP-MS USP <730>
‡Gadolinium	0.004	ppm	ICP-MS USP <730>
‡Gallium	0.232	ppm	ICP-MS USP <730>

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Kaitlyn Thompson

Results Approved By: _____ **Dated:** 3/18/2021

Kaitlyn Thompson-Quality Technician

Printed: 3/25/2021 10:52:45 AM

TREND CHECK

ADVANCED LABORATORIES®
8969 Cleveland Road, Clayton, NC 27520
Phone: 919-989-7793 Fax: 919-989-9226
Email: nclab@advancedlabsinc.com
FDA Registration #10560615298

BAJA GOLD™ SALT CO.
Property of SeaAgri Solutions, LLC
Owners of Baja Gold Salt Co.

Test Certificate

Client: SeaAgri Solutions, LLC
PO Box 682075
Marietta, GA 30068

Sample Description: Baja Gold Sea Salt

Lab No: 107550-01

Analysis	Result	Per Unit	Method
‡Germanium	<0.001	ppm	ICP-MS USP <730>
‡Gold	<0.5	ppm	ICP-OES USP <730>
‡Hafnium	0.024	ppm	ICP-MS USP <730>
‡Holmium	0.002	ppm	ICP-MS USP <730>
‡Indium	<0.001	ppm	ICP-MS USP <730>
‡Iridium	<0.001	ppm	ICP-MS USP <730>
‡Iron	38.7	ppm	ICP-OES USP <730>
‡Lanthanum	<0.5	ppm	ICP-OES USP <730>
‡Lead	0.199	ppm	ICP-MS USP <730>
‡Lithium	7.58	ppm	ICP-OES USP <730>
‡Lutetium	0.001	ppm	ICP-MS USP <730>
‡Magnesium	14,660	ppm	ICP-OES USP <730>
‡Manganese	4.21	ppm	ICP-OES USP <730>
‡Mercury	<0.001	ppm	ICP-MS USP <730>
‡Molybdenum	0.169	ppm	ICP-MS USP <730>
‡Neodymium	0.017	ppm	ICP-MS USP <730>
‡Nickel	1.082	ppm	ICP-MS USP <730>
‡Niobium	2.35	ppm	ICP-OES USP <730>
‡Osmium	<0.001	ppm	ICP-MS USP <730>

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Kaitlyn Thompson

Results Approved By: _____ **Dated:** 3/18/2021

Kaitlyn Thompson-Quality Technician

Printed: 3/25/2021 10:52:45 AM

TREND CHECK

ADVANCED LABORATORIES®
8969 Cleveland Road, Clayton, NC 27520
Phone: 919-989-7793 Fax: 919-989-9226
Email: nclab@advancedlabsinc.com
FDA Registration #10560615298

BAJA GOLD™ SALT CO.
Property of SeaAgri Solutions, LLC
Owners of Baja Gold Salt Co.

Test Certificate

Client: SeaAgri Solutions, LLC
PO Box 682075
Marietta, GA 30068

Sample Description: Baja Gold Sea Salt

Lab No: 107550-01

Analysis	Result	Per Unit	Method
‡Palladium	0.057	ppm	ICP-MS USP <730>
‡Phosphorus	38.4	ppm	ICP-OES USP <730>
‡Platinum	<0.001	ppm	ICP-MS USP <730>
‡Potassium	9,467	ppm	ICP-OES USP <730>
‡Praseodymium	0.005	ppm	ICP-MS USP <730>
‡Rhenium	<0.001	ppm	ICP-MS USP <730>
‡Rhodium	0.012	ppm	ICP-MS USP <730>
‡Rubidium	0.764	ppm	ICP-MS USP <730>
‡Ruthenium	0.081	ppm	ICP-MS USP <730>
‡Samerium	0.003	ppm	ICP-MS USP <730>
‡Scandium	0.316	ppm	ICP-MS USP <730>
‡Selenium	<0.001	ppm	ICP-MS USP <730>
‡Silicon	94.4	ppm	ICP-OES USP <730>
‡Silver	<0.001	ppm	ICP-MS USP <730>
‡Sodium	296,000	ppm	ICP-OES USP <730>
‡Strontium	104	ppm	ICP-OES USP <730>
‡Sulfur	11,290	ppm	ICP-OES USP <730>
‡Tantalum	0.003	ppm	ICP-MS USP <730>
‡Tellurium	8.29	ppm	ICP-OES USP <730>

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Kaitlyn Thompson

Results Approved By: _____ **Dated:** 3/18/2021

Kaitlyn Thompson-Quality Technician

Printed: 3/25/2021 10:52:45 AM

TREND CHECK

ADVANCED LABORATORIES®
8969 Cleveland Road, Clayton, NC 27520
Phone: 919-989-7793 Fax: 919-989-9226
Email: nclab@advancedlabsinc.com
FDA Registration #10560615298

BAJA GOLD™ SALT CO.
Property of SeaAgri Solutions, LLC
Owners of Baja Gold Salt Co.

Test Certificate

Client: SeaAgri Solutions, LLC
PO Box 682075
Marietta, GA 30068

Sample Description: Baja Gold Sea Salt

Lab No: 107550-01

Analysis	Result	Per Unit	Method
‡Terbium	<0.001	ppm	ICP-MS USP <730>
‡Thallium	<0.5	ppm	ICP-OES USP <730>
‡Thorium	17.5	ppm	ICP-OES USP <730>
‡Thulium	<0.001	ppm	ICP-MS USP <730>
‡Tin	<0.001	ppm	ICP-MS USP <730>
‡Titanium	1.42	ppm	ICP-OES USP <730>
‡Tungsten	8.48	ppm	ICP-OES USP <730>
‡Vanadium	36.0	ppm	ICP-OES USP <730>
‡Ytterbium	<0.001	ppm	ICP-MS USP <730>
‡Yttrium	<0.5	ppm	ICP-OES USP <730>
‡Zinc	9.92	ppm	ICP-OES USP <730>
‡Zirconium	2.41	ppm	ICP-OES USP <730>

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Kaitlyn Thompson

Results Approved By: _____ **Dated:** 3/18/2021

Kaitlyn Thompson-Quality Technician

Printed: 3/25/2021 10:52:45 AM

TREND CHECK