ADVANCED LABORATORIES®
8969 Cleveland Road, Clayton, NC 27520
Phone: 919-989-7793 Fax: 919-989-9226
Email: nclab@advancedlabsinc.com
FDA Registration #10560615298

BAJA GOLD™ SALT CO.

Property of SeaAgri Solutions, LLC
Owners of Baja Gold Salt Co.

Test Certificate

Client: SeaAgri Solutions, LLC
PO Box 682075
Marietta, GA 30068

Sample Description: Baja Gold Sea Salt Lab No: 122827-01

Analysis	Result	Per Unit	Method
Aluminum	51.3	ppm	ICP-OES USP <730>
Antimony	<0.5	ppm	ICP-OES USP <730>
Barium	3.85	ppm	ICP-OES USP <730>
Beryllium	2.33	ppm	ICP-OES USP <730>
Bismuth	<0.5	ppm	ICP-OES USP <730>
Boron	27.5	ppm	ICP-OES USP <730>
Cadmium	0.020	ppm	ICP-MS USP <730>
Calcium	3,126	ppm	ICP-OES USP <730>
Carbon	<2,000	ppm	LECO
Cerium	0.028	ppm	ICP-MS USP <730>
Cesium	0.023	ppm	ICP-MS USP <730>
†Chloride	573,600	ppm	USP <221> Titration
Chromium	3.58	ppm	ICP-OES USP <730>
Cobalt	3.07	ppm	ICP-OES USP <730>
Copper	4.01	ppm	ICP-OES USP <730>
Dysprosium	0.002	ppm	ICP-MS USP <730>
Erbium	0.001	ppm	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Brandy Conrad **Dated:** 8/9/2017
Brandy Conrad-Quality Manager

Tests marked with † were done at Atlas Bioscience Labs, LLC, a joint venture with Advanced Laboratories. - 1775 S. Pantano Rd - Ste #110, Tucson, AZ 85710

Printed: 8/9/2017 3:03:24 PM

BAJA GOLD SALT CO.
Property of SeaAgri Solutions, LLC
Owners of Baja Gold Salt Co.

ADVANCED LABORATORIES
8969 Cleveland Road, Clayton, NC 27520
Phone: 919-989-7793 Fax: 919-989-9226
Email: nclab@advancedlabsinc.com
FDA Registration #10560615298

Europium	0.001	ppm	ICP-MS USP <730>
†Fluoride	15.11	ppm	AOAC 939.11
Gadolinium	0.003	ppm	ICP-MS USP <730>
Gallium	<0.001	ppm	ICP-MS USP <730>
Germanium	<0.001	ppm	ICP-MS USP <730>
Gold	<0.5	ppm	ICP-OES USP <730>
Hafnium	0.017	ppm	ICP-MS USP <730>
Holmium	0.001	ppm	ICP-MS USP <730>
Indium	<0.001	ppm	ICP-MS USP <730>
†Iodine	4.97	ppm	Titration
Iridium	<0.001	ppm	ICP-MS USP <730>
Iron	94.0	ppm	ICP-OES USP <730>
Lanthanum	0.76	ppm	ICP-OES USP <730>
Lead	0.362	ppm	ICP-MS USP <730>
Lithium	<0.5	ppm	ICP-OES USP <730>
Lutetium	0.004	ppm	ICP-MS USP <730>
Magnesium	11,570	ppm	ICP-OES USP <730>
Manganese	7.85	ppm	ICP-OES USP <730>
Mercury	0.004	ppm	ICP-MS USP <730>
Molybdenum	5.05	ppm	ICP-OES USP <730>
Neodymium	0.013	ppm	ICP-MS USP <730>
Nickel	3.35	ppm	ICP-OES USP <730>
Niobium	<0.5	ppm	ICP-OES USP <730>
Osmium	<0.001	ppm	ICP-MS USP <730>
Palladium	0.005	ppm	ICP-MS USP <730>
Phosphorus	73.5	ppm	ICP-OES USP <730>
Platinum	0.003	ppm	ICP-MS USP <730>
Potassium	5,836	ppm	ICP-OES USP <730>
Praseodymium	0.004	ppm	ICP-MS USP <730>
Rhenium	<0.001	ppm	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Brandy Conrad **Dated:** 8/9/2017

Brandy Conrad-Quality Manager

Tests marked with † were done at Atlas Bioscience Labs, LLC, a joint venture with Advanced Laboratories. - 1775 S. Pantano Rd - Ste #110, Tucson, AZ 85710

Printed: 8/9/2017 3:03:24 PM

BAJA GOLD SALT CO.
Property of SeaAgri Solutions, LLC
Owners of Baja Gold Salt Co.

ADVANCED LABORATORIES
8969 Cleveland Road, Clayton, NC 27520
Phone: 919-989-7793 Fax: 919-989-9226
Email: nclab@advancedlabsinc.com
FDA Registration #10560615298

Rhodium	0.015	ppm	ICP-MS USP <730>
Rubidium	0.489	ppm	ICP-MS USP <730>
Ruthenium	0.033	ppm	ICP-MS USP <730>
Samarium	0.003	ppm	ICP-MS USP <730>
Scandium	0.073	ppm	ICP-MS USP <730>
Selenium	<0.5	ppm	ICP-OES USP <730>
Silicon	94.9	ppm	ICP-OES USP <730>
Silver	1.78	ppm	ICP-OES USP <730>
Sodium	217,600	ppm	ICP-OES USP <730>
Strontium	79.7	ppm	ICP-OES USP <730>
Sulfur	7,490	ppm	ICP-OES USP <730>
Tantalum	0.004	ppm	ICP-MS USP <730>
Tellurium	<0.5	ppm	ICP-OES USP <730>
Terbium	<0.001	ppm	ICP-MS USP <730>
Thallium	<0.5	ppm	ICP-OES USP <730>
Thorium	<0.5	ppm	ICP-OES USP <730>
Thulium	<0.001	ppm	ICP-MS USP <730>
Tin	0.086	ppm	ICP-MS USP <730>
Titanium	5.04	ppm	ICP-OES USP <730>
Tungsten	3.60	ppm	ICP-OES USP <730>
Vanadium	<0.5	ppm	ICP-OES USP <730>
Ytterbium	0.001	ppm	ICP-MS USP <730>
Yttrium	2.35	ppm	ICP-OES USP <730>
Zinc	6.80	ppm	ICP-OES USP <730>
Zirconium	<0.5	ppm	ICP-OES USP <730>

Chloride <221> titration procedure with AgNO3 precipitation reaction.
Fluoride 939.11.
Iodine analysis performed by sodium 0.1N thiosulfate titration of acidified digest centrifuged supernatant. Starch indicator solution was used to determine the end-point of the titration. Reagents employed were obtained from Sigma-Aldrich.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Brandy Conrad — Brandy Conrad-Quality Manager **Dated:** 8/9/2017

Printed: 8/9/2017 3:03:24 PM